# Building a new version of MDT

#### Adrian.Pop@liu.se

2012-05-17

#### Update your subversion

https://openmodelica.org/svn/MDT/trunk

### Refresh all your projects (the workspace)

🚝 Plug-in Develo	pment - org.modelica.md	t.feature/feature.xr	nl - Ec	lipse SDK		
File Edit Source	Refactor Navigate Search	h Project Run Wir	dow	Help		
📬 - 🔛 🖻 (	≞   🌣 • 🜔 • 💁 •	] 🗊 • ] 🤁 🎯	- ] (	🖻 🖨 🗸 •   🥖   🤰	$\bullet ~\forall ~\bullet \leftarrow \Leftrightarrow \bullet \to \cdot$	~
📲 Package Ex 🕺	🔪 🕸 Plug-ins) 🛛 🗖	sorg.modelica.mdt	x	J IModelicaClass.java	IModelicaElement.jav	🚺 🚺 ModelicaEleme
만···윤· org.modelia	a.mdt.breakpoint	🗟 Modelica I	Deve	lopment Tooling		
org.modelic	a.mdt.debug.core	General Informat This section describ	t <b>ion</b> es gen	eral information about this fea	ture.	
erg.modelic	a.mdt.debug.ui	ID:	org.m	nodelica.mdt		
	a.mdt.omc	Version:	0.7.2	5		
🕀 🗁 org.modelia	a.mdt.site	Name:	Mode	lica Development Tooling		
🕀 🗁 org.modelia	a.mdt.test	Provider:	Open	Source Modelica Consortium (	OpenModelica@ida.liu.se)	
🛨 🖓 org.modelia	New		•	L		Browse
	Open in New Window					
	Open Type Hierarchy	F4		L		
	Show In	Alt+Shift+W	•			
	Copy	Ctrl+C		s nations in which this feature c pecific code.	an be installed. Leave blank if	the feature
	Paste	Ctrl+V				
	X Delete	Delete				Browse
						Browse
📴 Outline 🖾 🔪	Remove from Context	Ctrl+Alt+Shift+Do	iWITi			Browse
	Source	Alt+Shift+S				
Overview				-		Browse
Information	Import					
Feature Convertie	C Export			ins Included Features Depe	ndencies Installation Build f	eature.xml build.pro
	💠 Refresh	F5		Search		
Sites to	Close Project			rs (Filter matched 100 of 251	items)	
Plug-ins	Close Unrelated Projects	1		as the matched 100 01 251	nemoj	Resource
	Assign Working Sets			L		

# Clean your project

🖶 Plug-in Development - org.modelica.md	.feature/feature.xml - Eclipse SDK	
File Edit Source Refactor Navigate Search	Project Run Window Help	
🗈 • 🖩 🗟   🏇 • 🕥 • 💁 •	Open Project Close Project	•] 🥖 🖢
Plug-ins D	Build All Ctrl+B	Class.java
	Build Project Build Working Set	Tooling
🕀 🔁 org.modelica.mdt.core	Clean	
🗄 😴 org.modelica.mdt.debug.core	<ul> <li>Build Automatically</li> </ul>	n about this featu
⊡😴 org.modelica.mdt.debug.ui ⊡🗁 org.modelica.mdt.feature	🖉 Generate Javadoc	
⊕ 🔁 org.modelica.mdt.omc	Properties	
🗄 🗁 org.modelica.mdt.site	Name: Modelica Developin	ient Tooling
era modelica mdt. test	Provider: Open Source Mode	elica Consortium (O
	Branding Plug-in:	
	Update Site URL:	
	Update Site Name:	
	Supported Environments Specify environment combinations in who does not contain platform-specific code	nich this feature cai

The project will now build automatically, see that there are no errors!

Tasks 🖳 Problems 🕱 🔗 Search			
0 errors, 251 warnings, 0 others (Filter matched 100 of 251 items)			
Description	Resource 🔺	Path	
🗄 🚯 Warnings (100 of 251 items)			
		1	

# Open the org.modelica.mdt.feature project feature.xml file

🖨 Plug-in Development - org.modelica.mdt.fe	ature/feature.xml -	Eclipse SDK			
File Edit Navigate Search Project Run Wind	dow Help				
📫 • 🗄 🖻 📄 🎄 • 🔕 • 🍇 •	<b>⊡ •</b>   ₩ ⊙ • ]	😂 🖨 🛷 🔹   🏄   🖢 🔸	₹ • \$ • \$ •		😭 🕸 Debug 💠 Plug-in 🎽
Package Explor 😫 🍣 Plug-ins 🗖 🗖	🗟 org.modelica.mdt	🛛 🚺 IModelicaElement.jav	J ModelicaElement.java	ModelicaClass.java	CorePlugin.java
□ 🙀 🏹	🔈 Modelica 🛙	Development Tooling			🐅 🕐
🕀 📴 org.modelica.mdt.breakpoint					
the sea modelica mdt debug sere	General Informat	tion	I	Feature Content	
The second delica.mdt.debug.core	This section describe	es general information about this fea	ture.	The content of the feature is m	nade up of five sections:
🕀 🦻 org.modelica.mdt.feature	ID:	org.modelica.mdt		Information: holds inform	ation about this feature, such as description
build.properties	Version:	0.7.25		and license.	
feature.xml	Name:	Modelica Development Tooling		Plug-ins: lists the plug-ins	that make up this feature.
🕀 🗁 org.modelica.mdt.omc	Provider:	Open Source Modelica Consortium (	OpenModelica@ida.liu	Included Features: lists th	he features that are included in this feature.
tree org.modelica.mdt.site	Branding Plug-in:		Browse	when installed.	features and plug-ins required by this feature
± → → org.modelica.mdt.ui	Update Site URL:			Installation: sets advance	ed installation options, declares an optional
	Update Site Name:			install handler and non-plu	ugin data in a feature.
	Currented Franks			Exporting	
	Specify environment	t combinations in which this feature c	an be installed.	To export the feature:	
	Leave blank if the fe	eature does not contain platform-spe	cific code.	1. Synchronize versions of c	contained plug-ins and fragments with their
	Operating Systems:		Browse	version in the workspace	
	operading of stempt			<ol><li>Specify what needs to be Configuration page</li></ol>	packaged in the feature archive on the <u>Build</u>
	Window Systems:		Browse	<ol> <li>Export the feature in a for</li> </ol>	rmat suitable for deployment using the Export
🗄 Outline 🛛 😫 📲 🔝 🖓 🗖	Languages:		Browse	Wizard	
Overview	Architecture:		Browse	Publishing	
Easture Description				To publish the feature on an up	odate site:
Copyright Notice				1. Create an Update Site Pro	pject
License Agreement				2. Use the site editor to add	the feature to the site, and build the site
🗎 Sites to Visit					
Plug-ins					
org.modelica.mdt.core (0.7.25)					
<ul> <li>org.modelica.mdt.omc (0.7.25)</li> </ul>	Overview Information	n Plug-ins Included Features Depe	ndencies Installation Build	feature.xml build.properties	
• org.modelica.mdt.debug.core (0.7.25)	🧟 Tasks 🔝 Problem	ns 🛛 🔗 Search			° ⊑
org.modelica.mdt.debug.ui (0.7.25)	0 errors, 251 warnings	, 0 others (Filter matched 100 of 251	items)		
Included Features	Description			Resource 🔺	Path Lo
Dependencies	🗄 🗄 Warnings (100	0 of 251 items)			
Installation	l				
Build					
	<b>I</b>				<u> </u>
] 0*					6pM of 238M

The tab Overview should be selected.

# Change the version number

🖨 Plug-in Development - org.modelica.mdt.fe	ature/feature.xml -	Eclipse SDK							_ 🗆 ×
File Edit Navigate Search Project Run Wind	dow Help								
] 📬 • 🔛 🕼 🕒 ] 🅸 • ⊘ • 🏊 • ]	🖬 • ] 🕆 🞯 • ]	😂 😂 🔗 🔹 🖌 🖉 🛃	₩ • * ↔ • •			/	📫 🍄	Debug 👍	Plug-in »
🛱 Package Explor 🕴 🍣 Plug-ins 📃 🗖	🚯 *org.modelica.mdt	🛛 🚺 IModelicaElement.jav	J ModelicaElement.java	а 🗋 🗾 М	odelicaClass.java	🗋 🗾 Core	ePlugin.java	»5	
E 🔩 🏹	🗟 Modelica 🛙	Development Tooling							a 0
⊕ 🧽 org.modelica.mdt.breakpoint	-								
🕀 🗁 org.modelica.mdt.core	General Informat	ion	I	Feature Con	ntent				
the second secon	This section describe	es general information about this feat	ture.	The content o	of the feature is mad	de up of five	e sections:		
B B org.modelica.mdt.feature	ID:	org.modelica.mdt		Informat	tion: holds informati	on about th	is feature, sud	h as descrip	tion
	Version:	0.7.26		and licen	ise.				
feature.xml	Name:	Modelica Development Tooling		Plug-ins:	: lists the plug-ins th	iat make up	this feature.		
🕀 🔂 org.modelica.mdt.omc	Provider:	Open Source Modelica Consortium (	OpenModelica@ida.liu	Included	Features: lists the	features the	at are included	in this feat	ure.
torg.modelica.mdt.site	Branding Plug-in:		Browse	when ins	encies: lists other re stalled.	atures and	piug-ins require	ed by this fe	ature
E S org.modelica.mdt.ui	Update Site URL:			Installati	ion: sets advanced	installation o	options, declar	es an optior	al
	Update Site Name:			install ha	andler and non-plugi	n data in a f	feature.		
				Exporting					
	Supported Enviro	nments t combinations in which this feature c	an he installed	To export the	fastura				
	Leave blank if the fe	eature does not contain platform-spe	cific code.	<ol> <li>Synchroi</li> </ol>	nize versions of con	itained plug-	-ins and fragme	ents with th	eir
	Operating Systems:		Browse	version i	in the workspace				
	operating systems.			2. Specify	what needs to be pa	ackaged in t	he feature ard	nive on the	Build
	Window Systems:		Browse	3. Export f	he feature in a form	at suitable f	for deployment	using the F	voort
🗄 Outline 🛛 👍 🞝 🍃 🍸 🗖 🗖	Languages:		Browse	Wizard			ion depioyinen		
Overview	Architecture:		Browse	Publishina					
E- Information				To publish the	e feature on an und	ate site:			
				1. Create a	an Update Site Proie	ct			
				2. Use the	site editor to add th	e feature to	o the site, and	build the sit	e
Plug-ins									
org.modelica.mdt.core (0.7.25)									
org.modelica.mdt.org (0.7.25)	Overview Information	n Plug-ins Included Features Depe	ndencies Installation Build	feature.xml	build.properties				
vrg.modelica.mdt.debug.core (0.7.25)	🖉 Tasks 🔝 Problem	ns 🛿 🔗 Search						22	
org.modelica.mdt.debug.ui (0.7.25)	0 errors, 251 warnings	, 0 others (Filter matched 100 of 251	items)						
Included Features	Description				Resource 🔺	Pat	th		Lo
Dependencies	🗄 🚯 Warnings (100	) of 251 items)							
Installation									
E Build									
	•				·				
] □◆				]			]	\$1M of	238M <u> </u>

Press Tab so that the new version number is picked up.



#### **Click on Plug-ins tab and then Versions**

Have "Force feature version into plug-in and fragment manifests" selected, and then click Finish.

#### Save all files



Now the versions have changed in all plug-ins.

#### Clean all projects again (Project->Clean) to rebuild them



Note that Project->Build Automatically should be checked! See that there are no errors in the Problems view.

# Export the feature

🚝 Plug-in Developi	ment - org.modelica.mdt	.feature/feature.x	ml - Eclipse SDK	
<u>File E</u> dit <u>S</u> ource F	Refac <u>t</u> or <u>N</u> avigate Se <u>a</u> rch	n <u>P</u> roject <u>R</u> un <u>W</u> i	ndow <u>H</u> elp	
] 📬 • 🖪 🛱 🛎	] ∲ • Ø • % •	] 🗊 🔹 ] 🖶 🮯	• ] 😂 😂 🖋 • ] ⊿	∮]월 - 현 - ← <b>수</b> - →
🛱 Package Explor	🛛 🔰 Plug-ins 🛛 🖓	🖹 🕼 org.modelica.	mdt 🛛 🚺 IModelicaEle	ment.jav 📄 🗾 ModelicaElement.j
	.mdt.breakpoint	🔹 Plug-in:	s and Fragments	
🗄 🗁 org.modelica	.mdt.core	Plug-ins and	Fragments	12
🗄 🔁 org.modelica	.mdt.debug.core	r lug ins unu	rightenes	1 <sup>2</sup>
🗄 🚰 org.modelica	.mdt.debug.ui	Select plug-ins	and fragments that should be	e packaged in this feature.
□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	.mdt.feature	org.modeli	ca.mdt.breakpoint (0.7.26)	Add
in build.pro	perties	org.modeli	ca.mdt.core (0.7.26)	
	New		.debug.core (0.7.26)	Versions
			.debug.ui (0.7.26)	
E Crg.mod	Open	F3	.omc (0.7.26)	
± 🔁 org.mod	Open With		• .ui (0.7.26)	
	Show In	Alt+Shift+W		
	Сору	Ctrl+C		
E E	Copy Qualified Name			
1	Paste	Ctrl+V		
×	Delete	Delete		
	Remove from Context	Ctrl+Alt+Shift+Dov	WD	
•	Mark as Landmark	Ctrl+Alt+Shift+Up		
E Outline 🕅	Build Path		•	
Overvie	Refactor	Alt+Shift+T	→	
	Import			
- Feat	Export			
Cop 📟	Export			
- 🚽 Licer 🤣	Refresh	F5		
🗎 Site:	Assign Working Sets			
Plug-ins	Show in Remote Systems vie	W		T-L-L C
🧽 org.	Run As		•	I otal: 6
1				

Right click on feature.xml, say Export.

# Select Deployable features

Export
Select Export the selected features in a form suitable for deploying in an Eclipse product.
Select an export destination: type filter text
<ul> <li>General</li> <li>C/C++</li> <li>Install</li> <li>Plug-in Development</li> <li>Peployable features</li> <li>Deployable plug-ins and fragments</li> <li>Eclipse product</li> <li>Target definition</li> <li>Remote Systems</li> <li>Run/Debug</li> <li>Tasks</li> <li>Team</li> </ul>
(?) < Back Next > Finish Cancel

Then click Next and select Directory and set the path where you want them exported and the Options.

Export		
Deployable features		
Export the selected projects into a form suitable for deploying in	an Eclipse product	
Available Features:		
 ☑ ₯ org.modelica.mdt (0.7.26)		Select All
		Working Set
1 of 1 selected.		
Destination Options JAR Signing Java Web Start		
Directory:		
C:\bin\plugins	•	Browse
C Archive file:		
	<b>v</b>	Browse,
O Install into host. Repository:		
	<b>v</b>	Browse
,		
? Zeack	Next > Einish	Cancel
<b>€</b> Export		
Export Deployable features	- Film and at	
Export Deployable features Export the selected projects into a form suitable for deploying in	an Eclipse product	
Export Deployable features Export the selected projects into a form suitable for deploying in Available East way:	an Eclipse product	
Export Deployable features Export the selected projects into a form suitable for deploying in Available Features:	an Eclipse product	Select All
Export Deployable features Export the selected projects into a form suitable for deploying in Available Features:           Available Features:           Image: Construction of the selected projects into a form suitable for deploying in	an Eclipse product	Select All
Export Deployable features Export the selected projects into a form suitable for deploying in Available Features:	an Edipse product	Select All
Export Deployable features Export the selected projects into a form suitable for deploying in Available Features:	an Eclipse product	Select All Working Set
Export Deployable features Export the selected projects into a form suitable for deploying in Available Features:          Available Features:         Image: Comparison of the selected projects into a form suitable for deploying in	an Eclipse product	Select All Deselect All Working Set
Export Deployable features Export the selected projects into a form suitable for deploying in Available Features:  Available Features:  Available features:	an Eclipse product	Select All Deselect All Working Set
Export Deployable features Export the selected projects into a form suitable for deploying in Available Features:	an Eclipse product	Select All Working Set
Export Deployable features Export the selected projects into a form suitable for deploying in Available Features:  Available Features:  Available Features:  1 of 1 selected.  Perspective Options and Series Lange Web Street	an Eclipse product	Select All Deselect All Working Set
Export Deployable features Export the selected projects into a form suitable for deploying in Available Features:  Available Features:  Org.modelica.mdt (0.7.26)  1 of 1 selected. Destination Options JAR Signing Java Web Start	an Eclipse product	Select All Deselect All Working Set
Export Deployable features Export the selected projects into a form suitable for deploying in Available Features: I org.modelica.mdt (0.7.26) 1 of 1 selected. Destination Options JAB Signing Java Web Start Export source: Generate source bundles	an Eclipse product	Select All Deselect All Working Set
Export Deployable features Export the selected projects into a form suitable for deploying in Available Features: Available Features: I of 1 selected. Destination Options JAR Signing Java Web Start Export source: Generate source bundles I gackage as individual JAR archives (required for JNLP and to Implementation provide)	an Eclipse product	Select All Deselect All Working Set
Export Deployable features Export the selected projects into a form suitable for deploying in Available Features: Available Features: I of 1 selected. Destination Qptions JAR Signing Jaya Web Start Export source: Generate source bundles Package as individual JAR archives (required for JNLP and to generate metadata repository) Categorize repository:	an Eclipse product	Select All Deselect All Working Set
Export Deployable features Export the selected projects into a form suitable for deploying in Available Features:  Available Features:	an Eclipse product	Select All Dgselect All Working Set
Export Deployable features Export the selected projects into a form suitable for deploying in Available Features: Available Features: I org.modelica.mdt (0.7.26) 1 of 1 selected. Destination Options JAR Signing Jaya Web Start Export source: Generate source bundles I gackage as individual JAR archives (required for JNLP and orgonation of the selectory) I categorize repository: Qualifier replacement (default value is today's date): 200	an Eclipse product	Select All Dgselect All Working Set
Export Deployable features Export the selected projects into a form suitable for deploying in Available Features: Available Features: I org.modelica.mdt (0.7.26) I of 1 selected. Destination Options JAR Signing Jaya Web Start Export source: Generate source bundles I gackage as individual JAR archives (required for JNLP and of Generate metadata repository I categorize repository: Qualifier replacement (default value is today's date): 200 Saye as Ant script:	an Eclipse product  pdate sites)  010312333	Select All Deselect All Working Set
Export Deployable features Export the selected projects into a form suitable for deploying in Available Features: Available Features: I of 1 selected. Destination Qptions JAR Signing Jaya Web Start Export source: Generate source bundles I exclage as individual JAR archives (required for JNLP and or IV Generate metadata repository Qualifier replacement (default value is today's date): 20 Saye as Ant script: I Aljow for binary cycles in target platform Use class files committed in the workenare	an Eclipse product	Select All Deselect All Working Set
Export Deployable features Export the selected projects into a form suitable for deploying in Available Features: I valiable Features: I of 1 selected. Destination Qptions JAB Signing Jaya Web Start Export source: Generate source bundles I gackage as individual JAR archives (required for JNLP and or IC Generate metadata repository I gategorize repository: Qualifier replacement (default value is today's date): 20: Saye as Ant script: I value of the workspace	an Eclipse product  pdate sites)  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Select All Deselect All Working Set
Export   Deployable features   Export the selected projects into a form suitable for deploying in     Available Features:     I of 1 selected.   Destination   Options   JAR Signing   Jaya Web Start   Export source:   Generate metadata repository   Ø Generate metadata repository   Ø Qualifier replacement (default value is today's date):   20:   Saye as Ant script:   Ø Allow for binary cycles in target platform   Use class files compiled in the workspace	an Eclipse product  pdate sites)  010312333	Select All Deselect All Working Set
Export Deployable features Export the selected projects into a form suitable for deploying in Available Features: Available Features: I of 1 selected. Destination Options JAR Signing Jaya Web Start Export source: Generate source bundles Package as individual JAR archives (required for JNLP and or Generate metadata repository) Qualifier replacement (default value is today's date): 20 Saye as Ant script: Allow for binary cycles in target platform Use class files compiled in the workspace	an Eclipse product  update sites)	Erowse
Export   Deployable features   Export the selected projects into a form suitable for deploying in     Available Features:     I of 1 selected.   Destination   Options   JAR Signing   Jaya Web Start   Export source:   Generate metadata repository   Qualifier replacement (default value is today's date):   Qualifier replacement (default value is today's date):   Qualifier source in target platform   Use class files compiled in the workspace	an Eclipse product  update sites)  010312333  Viext. > Einish	Erowse

Now click Finish.

	Evport Features: (35%)	101Mof 238M

Eclipse is exporting Features, you can see it on the status bar. Close Eclipse when this is done.

## The exported Features directory

🕌 C:\bin\plugins			
GOV 🖟 - Computer - Local Disk (C:) - bir	n + plugins +	👻 🚱 Search	n plugins 😥
File Edit View Tools Help			
Organize  Include in library  Share with	<ul> <li>New folder</li> </ul>		:= 👻 📑 🔞
Name *	Date modified	Туре	Size
📔 features	2012-05-17 23:56	File folder	
In plugins	2012-05-17 23:56	File folder	
🛋 artifacts.jar	2012-05-17 23:56	Executable Jar File	2 KB
🛋 content.jar	2012-05-17 23:56	Executable Jar File	19 KB
📄 site.xml	2012-05-17 23:17	XML Document	6 KB
5 hum			
5 items			

Looks like this with features and plugins directory.

C:\bin\plugins\features			_	
Computer - Local Disk (C:) - bir	n 🕶 plugins 👻 features	👻 🚺 Search	1 features	- 2
File Edit View Tools Help				
Organize 👻 Include in library 👻 Share with 🗨	New folder		= -	0
Name	Date modified 🗵	Туре	Size	
🗃 org.modelica.mdt_0.7.26.jar	2012-05-17 23:56	Executable Jar File	2 KB	
🗃 org.modelica.mdt_0.7.25.jar	2012-05-17 23:16	Executable Jar File	2 KB	
📓 org.modelica.mdt_0.7.24.jar	2012-04-10 23:48	Executable Jar File	2 KB	_
📓 org.modelica.mdt_0.7.23.jar	2012-04-03 12:11	Executable Jar File	2 KB	
📓 org.modelica.mdt_0.7.22.jar	2012-01-31 00:58	Executable Jar File	2 KB	
📓 org.modelica.mdt_0.7.21.jar	2012-01-31 00:13	Executable Jar File	2 KB	
📓 org.modelica.mdt_0.7.20.jar	2012-01-30 22:05	Executable Jar File	2 KB	
📓 org.modelica.mdt_0.7.19.jar	2011-10-31 06:17	Executable Jar File	2 KB	
📓 org.modelica.mdt_0.7.18.jar	2011-10-03 21:24	Executable Jar File	2 KB	
📓 org.modelica.mdt_0.7.17.jar	2011-09-23 23:28	Executable Jar File	2 KB	
ara modelica mdt. 0. 7. 16 jar	2011-00-21-01-02	Evocutable Jac Eile	סע ר	<b>_</b>
40 items				

The new feature version 0.7.26 is now present.

🕌 C:\bin\plugins\plugins			_	
O → I + Computer + Local Disk (C:) + bir	n + plugins + plugins	👻 🚱 Seard	n plugins	2
File Edit View Tools Help				
Organize 👻 Include in library 👻 Share with 🗨	<ul> <li>New folder</li> </ul>		= -	2
Name	Date modified 👻	Туре	Size	_ <b>_</b>
📓 org.modelica.mdt.breakpoint_0.7.26.jar	2012-05-17 23:56	Executable Jar File	7 KB	
💷 org.modelica.mdt.core_0.7.26.jar	2012-05-17 23:56	Executable Jar File	119 KB	
💷 org.modelica.mdt.debug.core_0.7.26.jar	2012-05-17 23:56	Executable Jar File	260 KB	
💷 org.modelica.mdt.debug.ui_0.7.26.jar	2012-05-17 23:56	Executable Jar File	96 KB	
💷 org.modelica.mdt.omc_0.7.26.jar	2012-05-17 23:56	Executable Jar File	31 KB	
💷 org.modelica.mdt.ui_0.7.26.jar	2012-05-17 23:56	Executable Jar File	820 KB	
org.modelica.mdt.breakpoint_0.7.25.jar	2012-05-17 23:16	Executable Jar File	7 KB	
📓 org.modelica.mdt.core_0.7.25.jar	2012-05-17 23:16	Executable Jar File	119 KB	
📓 org.modelica.mdt.debug.core_0.7.25.jar	2012-05-17 23:16	Executable Jar File	260 KB	
📓 org.modelica.mdt.debug.ui_0.7.25.jar	2012-05-17 23:16	Executable Jar File	96 KB	
ara modalica mdt ame. 0. 7.25 iar	2012 05 17 22.16	Executable Tar File	01 VD	•
199 items				

All the new plugins for version 0.7.26 are now present.

#### Edit site.xml and add the new feature version

🕌 C:\bin\plugins			_	
GO 🗸 - Computer - Local Disk (C:) - bir	n 🗕 plugins 🚽	🔻 🚱 Search	n plugins	2
File Edit View Tools Help				
Organize 🔻 🤕 Open 🔻 New folder			···· 💼	0
Name *	Date modified	Туре	Size	
\mu features	2012-05-17 23:56	File folder		
📔 plugins	2012-05-17 23:56	File folder		
🖬 artifacts.jar	2012-05-17 23:56	Executable Jar File	2 KB	
📓 content.jar	2012-05-17 23:56	Executable Jar File	19 KB	
😁 site.xml	2012-05-17 23:17	XML Document	6 KB	
site.xml Date modified: 2012-05- XML Document Size: 5,63 KB	17 23: 17 Date o	reated: 2011-09-19 14:2	23	

Copy the last one and paste it and change the version number.

👀 site.xml* - Microsoft Visual Studio	
	- 68 "
[: 웹 뚫 먼 ֆ  값   맨 兆 또 ^> 咋  쿡 쿡   크 일   그 위 무 무 무 운 및	
site.xml* ×	<u> </u>
<category name="modelica"></category>	÷.
	<b>_</b>
<pre><feature id="org.modelica.mdt" url="features/org.modelica.mdt_0.7.16.jar" version="0.7.16"></feature></pre>	
(category name= modelica //	
<pre><feature id="org.modelica.mdt" url="features/org.modelica.mdt_0.7.17.jar" version="0.7.17"></feature></pre>	
<category name="modelica"></category>	
<pre>(feature url="features/org.modelica.mdt_0.7.18.jar" id="org.modelica.mdt" version="0.7.18"&gt;</pre>	
<pre></pre>	
<pre>&lt;</pre>	
<pre><category name="modelica"></category></pre>	
<pre>(feature url="features/org.modelica.mdt_0.7.20.jar" id="org.modelica.mdt" version="0.7.20")</pre>	
<category name="modelica"></category>	
<pre></pre>	
<pre><category name="modelica"></category></pre>	
<pre>// <feature id="org.modelica.mdt" url="features/org.modelica.mdt_0.7.22.jar" version="0.7.22"></feature></pre>	
<pre><category name="modelica"></category></pre>	
<pre></pre> <pre>//feature&gt; </pre> <pre>//feature&gt; </pre> <pre>//feature&gt; </pre>	
<pre>- <feature id="org.modelica.mdt" url="features/org.modelica.mdt_0.7.23.jar" version="0.7.23"></feature></pre>	
<pre></pre>	
<category name="modelica"></category>	
<pre>     <feature id="org.modelica.mdt" url="features/org.modelica.mdt_0.7.25.jar" version="0.7.25"></feature></pre>	
<pre> </pre>	
<pre></pre> <pre><td></td></pre>	
<pre>description&gt;</pre>	
Tools for Modelica and MetaModelica	
L'ASTES	<b>_</b>
100 % - (	
Ready Ln 114 Col 1 Ch 1	INS //

Remember to change in BOTH PLACES! \_0.7.25.jar and version="0.7.25"!

🜣 site.xml* - Microsoft Visual Studio	
E 🔚 • 🗃 • 😝 📕 🕼 🖄 • 🖉 • 🖳 • 🔜 • 🔜 • ► 🔹 •	- 1789 1
[월월월 4] 월 월 월 월 ▲ 4 幅] 章章 [월 일] □ 문 목 월 월 및 [	· · · · · ·
site xml* X	•
	· ·
<category name="modelica"></category>	Ŧ
<pre>      </pre>	
<pre><category name="modelica"></category></pre>	
<pre>// comparison of the state of the state</pre>	/">
<category name="modelica"></category>	
<pre><feature id="org.modelica.mdt" url="features/org.modelica.mdt_0.7.18.jar" version="0.7.18&lt;/td&gt;&lt;td&gt;3"></feature></pre>	
<pre></pre>	
<pre></pre>	9"s
<pre><category name="modelica"></category></pre>	
<pre>// cfeature url="features/org.modelica.mdt_0.7.20.jar" id="org.modelica.mdt" version="0.7.20"</pre>	5
<pre><category name="modelica"></category></pre>	
<pre><feature <="" id="org.modelica.mdt" pre="" url="features/org.modelica.mdt_0.7.21.jar" version="0.7.21"></feature></pre>	>
<pre></pre>	5
<pre><category name="modelica"></category></pre>	
<pre>c / feature url="features/org.modelica.mdt_0.7.23.jar" id="org.modelica.mdt" version="0.7.23"</pre>	5
<pre><category name="modelica"></category></pre>	
<pre></pre> <pre>//reature&gt; </pre>	
<pre>creature url= teatures/org.modelica.mat_0./.24.jar id="org.modelica.mat" version="0./.24" creature url= teatures/org.modelica.mat_0./.24</pre>	>
<pre></pre>	's T
<pre><category name="modelica"></category></pre>	
<pre></pre> <pre> <pre></pre> <pre></pre> <pre> <pre< td=""><td>'&gt;</td></pre<></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre>	'>
<pre><category name="modelica"></category> </pre>	
<pre></pre> (returne) <pre>contents def name "medalica" label="Medalica and MetaMedalica Teols")</pre>	
<pre>coregory=def nome= modelica indel= modelica and metamodelica roois &gt; </pre>	
Tools for Modelica and MetaModelica	
	•
100 % 🔹 📢	Þ
Ready Ln 117 Col 92 Ch 92	INS 🔏

Save site.xml, exit the editor.

## Unpack artifacts.jar and content.jar

📙 C:\bin\plugins			_ 🗆 >	<u>×</u>
🕞 🌍 🗸 🗸 Computer 👻 Local Disk (C:) 👻 bin	n → plugins →	👻 🚱 Seard	n plugins	2
File Edit View Tools Help				
Organize 🔻 🛓 Open New folder			···· 🖬 🔞	
Name ^	Date modified	Туре	Size	
) features	2012-05-17 23:56	File folder		
🌗 plugins	2012-05-17 23:56	File folder		
📓 artifacts.jar	2012-05-17 23:56	Executable Jar File	2 KB	
content isr	2012-05-17 23-56	Executable Jar File	19 KB	
e site.xml		Extract files		
Scan with Microsoft Forefront Endpo	int Protection 2010	Extract Here		
🔡 Edit with Notepad++		Extract to "*\"		
CortoiseSVN	+	Test archive Add to archive		
Add to archive		Compress and email.		
Add to "plugins.rar"		Add to "plugins.7z"		
Compress and email		Compress to "plugins	.7z" and email	_
Compress to "plugins.rar" and email		Add to "plugins.zip"	rio" and omail	
Extract files		T		
Extract each archive to separate fol	der	L		_
Extract to content				

### Copy exported files to SVN working copy

Copy and replace all the selected files from the exported feature directory to your working copy of MDT/trunk/org.modelica.mdt.site

📙 C:\bin\plugins			_ 🗆 ×	🕌 C:\bin\cygwin\home\adrpo\dev\java\a	org.modelica.mdt.site		
😋 🕤 🗸 🗸 Computer 🔻 Local Disk (C:) 🔻 b	in 🝷 plugins 👻	👻 🚺 Search plugin	is 😥	😋 ◯ マ 🎉 → adrpo → dev → java → org	g.modelica.mdt.site 👻	🔻 🔯 🛛 Search o	rg.modelica 😰
File Edit View Tools Help				File Edit View Tools Help			
Organize 🔻 浸 Open 🛛 New folder			• 🔟 🕡	Organize 👻 Include in library 👻 Share v	with 👻 New folder		:= 👻 🗔 🔞
Name *	Date modified	Туре	Size	Name ^	Date modified	Туре	Size
🕌 features	2012-05-17 23:56	File folder		🜏 features	2012-05-17 23:17	File folder	
🕌 plugins	2012-05-17 23:56	File folder		🛃 plugins	2012-05-17 23:17	File folder	
💷 artifacts.jar	2012-05-17 23:56	Executable Jar File	2 KB	🧟 .dasspath	2007-02-27 15:11	CLASSPATH File	1 KB
👜 artifacts.xml	2012-05-17 23:56	XML Document	38 KB	<ul> <li>project</li> </ul>	2012-01-30 13:29	PROJECT File	1 KB
📓 content.jar	2012-05-17 23:56	Executable Jar File	19 KB	💇 artifacts.xml	2012-05-17 23:16	XML Document	36 KB
🔮 content.xml	2012-05-17 23:56	XML Document	538 KB	🖉 content.xml	2012-05-17 23:16	XML Document	511 KB
🔮 site.xml	2012-05-18 00:04	XML Document	6 KB	🔊 site.xml	2012-05-17 23:17	XML Document	6 KB
5 items selected Date modified: 20	12-05-17 23:56 - 2012-0	5-18 00:04		7 items			

🕌 C:\bin\cygwin\home\adrpo\dev\java\org.m	odelica.mdt.site		
O → J + adrpo + dev + java + org.mode	elica.mdt.site 👻	▼ 🚱 Search org.m	odelica 😥
File Edit View Tools Help			
Organize 👻 Include in library 👻 Share with 🔹	New folder	:==	- 🔟 🕐
Name ^	Date modified	Туре	Size
🜏 features	2012-05-18 00:10	File folder	
🛃 plugins	2012-05-18 00:10	File folder	
🔊 .classpath	2007-02-27 15:11	CLASSPATH File	1 KB
.project	2012-01-30 13:29	PROJECT File	1 KB
💕 artifacts.xml	2012-05-17 23:56	XML Document	38 KB
💕 content.xml	2012-05-17 23:56	XML Document	538 KB
💕 site.xml	2012-05-18 00:04	XML Document	6 KB
7 items			

Now add all the new jars to Subversion! Right click in that directory, say TortoiseSVN->Add.

🕌 C:\bin\cygwin\	home\adrpo\dev\java\org.n	node	lica.mdt.site	
G)- J	adrpo 👻 dev 👻 java 👻 org.mod	lelica.ı	mdt.site 🔹 👻 🔽 Sea	rch org.modelica
File Edit View	Tools Help			
Organize 🔻 Inc	lude in library 🔻 Share with	•	New folder	= 🛨 📑 🔞
Name *		Dat	age Show log	Size
<ul> <li>features</li> <li>plugins</li> <li>.classpath</li> <li>.project</li> <li>artifacts.xml</li> <li>content.xml</li> <li>site.xml</li> </ul>	View Sort by Group by	201 201 200 201 201 201 201	Repo-browser         Check for modifications         Revision graph         Resolved         Update to revision         Revert         Clean up         Get lock         Release lock         Paranch/tag         Switch	e 1 KB 1 KB 38 KB 538 KB 6 KB
7 ite	Customize this folder		<pre>     Merge     Export     Add </pre>	
	Paste shortcut Undo Copy Ctrl- Share with	+Z	<pre>   Create patch   Apply patch   Let Properties   Let Propertie</pre>	
	<ul> <li>✓ SVN Update</li> <li>✓ SVN Commit</li> <li>✓ TortoiseSVN</li> </ul>	,	℃Settings ?? Help Æ]About	
	New Properties	•		-

🐮 C:	\bin\cygwin\home\adrpo\dev\java\org.modelica.r	ndt.site - Add - Tor	toiseSVN	
Pa	th	Extension		
	features/org.modelica.mdt_0.7.26.jar	.jar		
	plugins/org.modelica.mdt.breakpoint_0.7.26.jar	.jar		
	plugins/org.modelica.mdt.core_0.7.26.jar	.jar		
	plugins/org.modelica.mdt.debug.core_0.7.26.jar	.jar		
	plugins/org.modelica.mdt.debug.ui_0.7.26.jar	.jar		
	plugins/org.modelica.mdt.omc_0.7.26.jar	.jar		
	plugins/org.modelica.mdt.ui_0.7.26.jar	.jar		
<b>N</b> 5	Select / deselect all			
<b>▼</b> [	Enable Auto-Properties			
		OK	Cance	el Help

#### Click OK.

*	Add Finish	ed!		
	Action	Path	Mime type	
	Command	Add		
	Added	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \features \org.modelica.mdt_0.7.26.jar	application/octet-stream	
	Added	C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.breakpoint_0.7.26.jar	application/octet-stream	
	Added	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.core_0.7.26.jar	application/octet-stream	
	Added	$C: \label{eq:cond} C: \label{eq:cond} C: \label{eq:cond} bin \label{eq:cond} C: \label{eq:cond} bin \label{eq:cond} cond eq:co$	application/octet-stream	
	Added	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.ui_0.7.26.jar	application/octet-stream	
	Added	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.omc_0.7.26.jar	application/octet-stream	
	Added	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.ui_0.7.26.jar	application/octet-stream	
	Completed!			H
	Added:7		ОК	Cancel

Click OK.

## **Commit your changes**

Go one level (top MDT directory) up and commit your changes.

🕌 C:\bin\cygwin\home\adrpo\dev\java				
G → ↓ • Computer • Local Disk (C:)	★ bin ★ cygwin ★ home ★	adrpo 🕶 dev 👻 java	• • <b>•</b> [	Search jav
File Edit View Tools Help				
Organize 🔻 Include in library 👻 Share v	with 🝷 New folder			
Name ^	Date modified	Туре	Size	
🚯 org.modelica.mdt.breakpoint	2012-05-17 23:56	File folder		
🚯 org.modelica.mdt.core	2012-05-17 23:56	File folder		
🚯 org.modelica.mdt.debug.core	2012-05-17 23:56	File folder		
🚯 org.modelica.mdt.debug.ui	2012-05-17 23:56	File folder		
Image: org.modelica.mdt.docs	2011-04-14 12:57	File folder	View	+
🚯 org.modelica.mdt.feature	2012-05-17 23:56	File folder	Sort by	•
🚯 org.modelica.mdt.omc	2012-05-17 23:56	File folder	Group by	•
🚯 org.modelica.mdt.site	2012-05-17 23:19	File folder	Refresh	
🜏 org.modelica.mdt.test	2012-04-10 23:47	File folder	Customize this folde	r
🚯 org.modelica.mdt.ui	2012-05-17 23:56	File folder	Paste	
22 items			Paste shortcut Undo Copy	Ctrl+Z
			Share with	+
			K SVN Update	
			SVN Commit	
			HortoiseSVN 😁	۲.
			New	•
			Properties	

See that all the changed files are there and write a commit log, then Click OK.

:\bin\cygwin\home\adrpo\dev\java - Commit - TortoiseSVN			_
nmit to:			
ns://openmodelica.org/svn/MDT/trunk			
essage:			
<u>R</u> ecent messages			
- mdt 0.7.26			
anges made (double-click on file for diff):			
neck: All None Non-versioned Versioned Added Deleted Modified Files Direct	tories		
Path	Extension	Status	Property status Lock
org.modelica.mdt.breakpoint/META-INF/MANIFEST.MF	.MF	modified	
org.modelica.mdt.core/META-INF/MANIFEST.MF	.MF	modified	
org.modelica.mdt.debug.core/META-INF/MANIFEST.MF	.MF	modified	
org.modelica.mdt.debug.ui/META-INF/MANIFEST.MF	.MF	modified	
org.modelica.mdt.feature/feature.xml	.xml	modified	
org.modelica.mdt.omc/META-INF/MANIFEST.MF	.MF	modified	
org.modelica.mdt.site/artifacts.xml	.xml	modified	
🗹 🖭 org.modelica.mdt.site/content.xml	.xml	modified	
🗹 📧 org.modelica.mdt.site/features/org.modelica.mdt_0.7.26.jar	.jar	added	modified
🗹 🧾 org.modelica.mdt.site/plugins/org.modelica.mdt.breakpoint_0.7.26.jar	.jar	added	modified
Image: state of the state of	.jar	added	modified
🗹 🌃 org.modelica.mdt.site/plugins/org.modelica.mdt.debug.core_0.7.26.jar	.jar	added	modified
iii org.modelica.mdt.site/plugins/org.modelica.mdt.debug.ui_0.7.26.jar	.jar	added	modified
Image: State of the state of	.jar	added	modified
🗹 🌃 org.modelica.mdt.site/plugins/org.modelica.mdt.ui_0.7.26.jar	.jar	added	modified
☑  org.modelica.mdt.site/site.xml	.xml	modified	1 An
org.modelica.mdt.ui/META-INF/MANIFEST.MF	.MF	modified	
Show unversioned files			17 files selected, 17 files to
Show externals from different repositories			
Keep lacks			
Keen changelists		<u>O</u> K	Cancel Help
Lineach an Minister	-		

#### Files are now commited.

Command         Commit           Iodified         C: bink/cygwin Yome Jadrpo Vdev Yava Jorg, modelica, mdt. breakpoint YMETA-INF YMANIFEST. MF            Iodified         C: bink/cygwin Yome Jadrpo Vdev Yava Jorg, modelica, mdt. debug, core /META-INF YMANIFEST. MF            Iodified         C: bink/cygwin Yome Jadrpo Vdev Yava Jorg, modelica, mdt. debug, core /META-INF YMANIFEST. MF            Iodified         C: bink/cygwin Yome Jadrpo Vdev Yava Jorg, modelica, mdt. debug, core /META-INF YMANIFEST. MF            Iodified         C: bink/cygwin Yome Jadrpo Vdev Yava Jorg, modelica, mdt. atter Vefasture, sml            Iodified         C: bink/cygwin Yome Jadrpo Vdev Yava Jorg, modelica, mdt. atter Vefasture, sml         application/cotet-stream           Iodified         C: bink/cygwin Yome Jadrpo Vdev Yava Jorg, modelica, mdt. atter Jolignis Yorg, modelica, mdt. atter	ction	Path	Mime type	
todified       C:\bin\cygwin\tome\adrpo\dev\java\org.modelca.mdt.breakpoint\VETA-INF\VANUFEST.MF         todified       C:\bin\cygwin\tome\adrpo\dev\java\org.modelca.mdt.core\VETA-INF\VANUFEST.MF         todified       C:\bin\cygwin\tome\adrpo\dev\java\org.modelca.mdt.doeug.core\VETA-INF\VANUFEST.MF         todified       C:\bin\cygwin\tome\adrpo\dev\java\org.modelca.mdt.doeug.core\VETA-INF\VANUFEST.MF         todified       C:\bin\cygwin\tome\adrpo\dev\java\org.modelca.mdt.feature\tea	Command	Commit		
Modified         C:\pin\cygwin\home\adapo\dev\iava\org.modelca.mdt.core\META-INF\MANIFEST.MF           Wodified         C:\pin\cygwin\home\adapo\dev\iava\org.modelca.mdt.debug.core\META-INF\MANIFEST.MF           Wodified         C:\pin\cygwin\home\adapo\dev\iava\org.modelca.mdt.debug.ur\META-INF\MANIFEST.MF           Wodified         C:\pin\cygwin\home\adapo\dev\iava\org.modelca.mdt.debug.ur\META-INF\MANIFEST.MF           Wodified         C:\pin\cygwin\home\adapo\dev\iava\org.modelca.mdt.site\variationts.xml           Wodified         C:\pin\cygwin\home\adapo\dev\iava\org.modelca.mdt.site\polynes\org.modelca.mdt.site\startistationts.xml           Wodified         C:\pin\cygwin\home\adapo\dev\iava\org.modelca.mdt.site\polynes\org.modelca.mdt.orce_0.7.26.jar           application/octet-stream         application/octet-stream           Adding         C:\pin\cygwin\home\adapo\dev\iava\org.modelca.mdt.site\plugins\org.modelca.mdt.orce_0.7.26.jar           Adding         C:\pin\cygwin\home\adapo\dev\iava\org.modelca.mdt.site\plugins\org.modelca.mdt.ore_0.7.26.jar           Adding         C:\pin\cygwin\home\adapo\dev\iava\org.modelca.mdt.site\plugins\org.modelca.mdt.ore_0.7.26.jar           Adding         C:\pin\cygwin\home\adapo\dev\iava\org.modelca.mdt.site\plugins\org.modelca.mdt.ort.ore_0.7.26.jar           Adding         C:\pin\cygwin\home\adapo\dev\iava\org.modelca.mdt.site\plugins\org.modelca.mdt.ort.ore_0.7.26.jar           Adding         C:\pin\cygwin\home\adapo\dev\iava\org.modelca.mdt.site\plugins\org.modelca.mdt.ort.ore_0.7.26.j	Modified	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.breakpoint \META-INF \MANIFEST.MF		
Modified         C:\pin\cygwin\home\adrpo\dev\java\org.modelica.mdt.debug.cor\WETA-INF\WANIFEST.MF           Modified         C:\pin\cygwin\home\adrpo\dev\java\org.modelica.mdt.debug.cu\WETA-INF\WANIFEST.MF           Modified         C:\pin\cygwin\home\adrpo\dev\java\org.modelica.mdt.debug.cu\WETA-INF\WANIFEST.MF           Modified         C:\pin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\ptrifacts.xml           Modified         C:\pin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\ptrifacts.xml           Modified         C:\pin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.orc_0.7.26.jar           Adding         C:\pin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core_0.7.26.jar           Adding         C:\pin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core_0.7.26.jar           Adding         C:\pin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core.0.7.26.jar           Adding         C:\pin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core.0.7.26.jar           Adding         C:\pin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.ion.7.26.jar           Adding         C:\pin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.ion.7.26.jar           Adding         C:\pin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.ion.7.26.jar           Adding         C:\pin\cygwin\home\adrpo\dev\java	Modified	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.core \META-INF \MANIFEST.MF		
Modified         C: bin kryswin home kadrop (dev lyava korg.modelica.mdt. debug.ui /META-INF/MANIFEST.MF           Modified         C: bin kryswin home kadrop (dev lyava korg.modelica.mdt. net ure (Vesture.xml         application/octet-stream           Modified         C: bin kryswin home kadrop (dev lyava korg.modelica.mdt.site kritifacts.xml         application/octet-stream           Modified         C: bin kryswin home kadrop (dev lyava korg.modelica.mdt.site kritifacts.xml         application/octet-stream           Modified         C: bin kryswin home kadrop (dev lyava korg.modelica.mdt.site kritifacts.xml         application/octet-stream           Adding         C: bin kryswin home kadrop (dev lyava korg.modelica.mdt.site kritifacts.xml         application/octet-stream           Adding         C: bin kryswin home kadrop (dev lyava korg.modelica.mdt.site kritifacts.xml         application/octet-stream           Adding         C: bin kryswin home kadrop (dev lyava korg.modelica.mdt.site kritifacts.xml         application/octet-stream           Adding         C: bin kryswin home kadrop (dev lyava korg.modelica.mdt.site kritifacts.xml         application/octet-stream           Adding         C: bin kryswin home kadrop (dev lyava korg.modelica.mdt.site kritifacts.xml         application/octet-stream           Modified         C: bin kryswin home kadrop (dev lyava korg.modelica.mdt.site kritifacts.xml         application/octet-stream           Modified         C: bin kryswin home kadrop (dev lyava korg.modelica.mdt	Modified	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.debug.core \META-INF \MANIFEST.MF		
Modified       C: bin krygwin home kadrpo klev ljava korg.modelica.mdt. om kryETA-INF WANIFEST.MF         Modified       C: bin krygwin home kadrpo klev ljava korg.modelica.mdt.site kristifets.xml         Modified       C: bin krygwin home kadrpo klev ljava korg.modelica.mdt.site kristifets.xml         Modified       C: bin krygwin home kadrpo klev ljava korg.modelica.mdt.site krontent.xml         Adding       C: bin krygwin home kadrpo klev ljava korg.modelica.mdt.site krontent.xml         Adding       C: bin krygwin home kadrpo klev ljava korg.modelica.mdt.site krontent.xml         Adding       C: bin krygwin home kadrpo klev ljava korg.modelica.mdt.site krontent.xml         Adding       C: bin krygwin home kadrpo klev ljava korg.modelica.mdt.site krontent.xml         Adding       C: bin krygwin home kadrpo klev ljava korg.modelica.mdt.site krontent.xml         Adding       C: bin krygwin home kadrpo klev ljava korg.modelica.mdt.site krontent.xml         Adding       C: bin krygwin home kadrpo klev ljava korg.modelica.mdt.site krontent.xml         Adding       C: bin krygwin home kadrpo klev ljava korg.modelica.mdt.site krontent.xml         Modified       C: bin krygwin home kadrpo klev ljava korg.modelica.mdt.site krontent.xml         Modified       C: bin krygwin home kadrpo klev ljava korg.modelica.mdt.site krontent.xml         Modified       C: bin krygwin home kadrpo klev ljava korg.modelica.mdt.site krontent.xml         Modified       C: bin krygwin	Modified	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.debug.ui \META-INF \MANIFEST.MF		
Modified       C: \bin \cygwin \home \adrpo \dev\java \org.modelica.mdt.orc \WETA-INF\MANIFEST.MF         Modified       C: \bin \cygwin \home \adrpo \dev\java \org.modelica.mdt.site \arrfscts.xml         Modified       C: \bin \cygwin \home \adrpo \dev\java \org.modelica.mdt.site \org.modelica.mdt.orc_0.7.26.jar         Adding       C: \bin \cygwin \home \adrpo \dev\java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.core_0.7.26.jar         Adding       C: \bin \cygwin \home \adrpo \dev\java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.core_0.7.26.jar         Adding       C: \bin \cygwin \home \adrpo \dev\java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.core_0.7.26.jar         Adding       C: \bin \cygwin \home \adrpo \dev\java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.core_0.7.26.jar         Adding       C: \bin \cygwin \home \adrpo \dev\java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.core_0.7.26.jar         Adding       C: \bin \cygwin \home \adrpo \dev\java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.core_0.7.26.jar         Adding       C: \bin \cygwin \home \adrpo \dev\java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.core_0.7.26.jar         Adding       C: \bin \cygwin \home \adrpo \dev\java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.core_0.7.26.jar         Adding       C: \bin \cygwin \home \adrpo \dev\java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.core_0.7.26.jar         Sending contert       C: \bin \cygwin \home \adrpo \dev\java \org.modelica.	Modified	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.feature \feature.xml		
Modified       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\content.xml         Modified       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\content.xml         Adding       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\content.xml         Adding       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\content.xml         Adding       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.oft.oft.oft.oft.oft.oft.oft.oft.oft.of	Modified	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.omc \META-INF \MANIFEST.MF		
Modified       C: \bin\cygwin\pome\adrpo\dev\java\org.modelica.mdt.site\features\org.modelica.mdt_0.7.26.jar       application/octet-strean         Adding       C: \bin\cygwin\pome\adrpo\dev\java\org.modelica.mdt.site\features\org.modelica.mdt.org.0.7.26.jar       application/octet-strean         Adding       C: \bin\cygwin\pome\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.org.0.7.26.jar       application/octet-strean         Adding       C: \bin\cygwin\pome\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core_0.7.26.jar       application/octet-strean         Adding       C: \bin\cygwin\pome\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core_0.7.26.jar       application/octet-strean         Adding       C: \bin\cygwin\pome\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.org.0.7.26.jar       application/octet-strean         Bending content       C: \bin\cygwin\pome\adrpo\dev\java\org.m	Modified	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \artifacts.xml		
Adding       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \fratures \org.modelica.mdt.org.nodelica.mdt.org.nodelica.mdt.site \plugins \org.modelica.mdt.org.nodelica.mdt.	Modified	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \content.xml		
Adding       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.breakpoint_0.7.26.jar       application/octet-stream         Adding       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.cet_org_0.7.26.jar       application/octet-stream         Adding       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.cuc_0.7.26.jar       application/octet-stream         Adding       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.cu_0.7.26.jar       application/octet-stream         Adding       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.ui_0.7.26.jar       application/octet-stream         Adding       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.mo	Adding	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \features \org.modelica.mdt_0.7.26.jar	application/octet-stream	
Adding       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core_0.7.26.jar       application/octet-stream         Adding       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core_0.7.26.jar       application/octet-stream         Adding       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core_0.7.26.jar       application/octet-stream         Adding       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core_0.7.26.jar       application/octet-stream         Adding       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.s	Adding	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.breakpoint_0.7.26.jar	application/octet-stream	
Adding       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core_0.7.26.jar       application/octet-stream         Adding       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.mdt.omc_0.7.26.jar       application/octet-stream         Adding       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.omc_0.7.26.jar       application/octet-stream         Adding       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.ui_0.7.26.jar       application/octet-stream         Adding       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.ui_0.7.26.jar       application/octet-stream         Modified       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.or_0.7.26.jar       application/octet-stream         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.or_0.7.26.jar       application/octet-stream         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.0.7.26.jar       application/octet-stream         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.0.7.26.jar       application/octet-stream         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.o0.7.26.jar       application/octet-stream         Sending content       C: \bin\cygwin\home\	Adding	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.core_0.7.26.jar	application/octet-stream	
Adding       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.ui_0.7.26.jar       application/octet-stream         Adding       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.ui_0.7.26.jar       application/octet-stream         Adding       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.ui_0.7.26.jar       application/octet-stream         Adding       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.iu_0.7.26.jar       application/octet-stream         Modified       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.org.modelica.mdt.org.modelica.mdt.ore.hom.org.modelica.mdt.org.modelica.mdt.org.modelica.mdt.org.modelica.mdt.org.modelica.mdt.org.modelica.mdt.org.modelica.mdt.debug.ui_0.7.26.jar       Sending content         C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.ui_0.7.26.jar       Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.ui_0.7.26.jar         Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.ui_0.7.26.jar       Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.ui_0.7.26.jar         Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.ui_0.7.26.jar       Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core_0.7.26.jar	Adding	$C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core\_0.7.26.jar$	application/octet-stream	
Adding       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.orc_0.7.26.jar       application/octet-stream         Adding       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.ui_0.7.26.jar       application/octet-stream         Modified       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.ui\WETA-INF\WANIFEST.MF       application/octet-stream         Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.orc_0.7.26.jar       application/octet-stream         Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.orc_0.7.26.jar       application/octet-stream         Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.orc_0.7.26.jar       application/octet-stream         Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.orc_0.7.26.jar       application/octet-stream         Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.ebug.ui_0.7.26.jar       application/octet-stream         Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.ebug.ui_0.7.26.jar       application/octet-stream         Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.ebug.ui_0.7.26.jar       application/octet-stream         Sending content       C:\bin\cy	Adding	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.ui_0.7.26.jar	application/octet-stream	
Adding       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.ui_0.7.26.jar       application/octet-stream         Modified       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\site.xml       application/octet-stream         Modified       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.breakpoint_0.7.26.jar       application/octet-stream         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.breakpoint_0.7.26.jar       c: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.org.modelica.mdt.org.modelica.mdt.org.modelica.mdt.site\plugins\org.modelica.mdt.org.modelica.mdt.org.org.modelica.mdt.site\plugins\org.modelica.mdt.org.modelica.mdt.site\plugins\org.modelica.mdt.site\plug	Adding	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.omc_0.7.26.jar	application/octet-stream	
Modified       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\site.xml         Modified       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.ui\META-INF\MANIFEST.MF         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.D.7.26.jar         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.core\META-INF\MANIFEST.MF         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.core\META-INF\MANIFEST.MF         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.core\META-INF\MANIFEST.MF         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.ui_0.7.26.jar         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.ui_0.7.26.jar         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.ui_0.7.26.jar         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.ui_0.7.26.jar         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core_0.7.26.jar         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core_0.7.26.jar         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core_0.7.26.jar	Adding	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.ui_0.7.26.jar	application/octet-stream	
Modified       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.ui\META-INF\MANIFEST.MF         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt_breakpoint_0.7.26.jar         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt_0.7.26.jar         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.core\META-INF\MANIFEST.MF         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.breakpoint\META-INF\MANIFEST.MF         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.breakpoint\META-INF\MANIFEST.MF         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.breakpoint\META-INF\MANIFEST.MF         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.breakpoint\META-INF\MANIFEST.MF         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\site.xml         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.ui_0.7.26.jar         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.ui_0.7.26.jar         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.ui_0.7.26.jar         Sending content       C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.ui_0.7.26.jar         Sending content       C: \bin\c	Modified	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \site.xml		
Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.breakpoint_0.7.26.jar Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \features \org.modelica.mdt_0.7.26.jar Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.core \META-INF \MANIFEST.MF Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.breakpoint/\META-INF \MANIFEST.MF Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.breakpoint/\META-INF \MANIFEST.MF Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.ui_0.7.26.jar Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.breakpoint/\META-INF \MANIFEST.MF Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.ui_0.7.26.jar Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.ui_0.7.26.jar Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.ui_0.7.26.jar Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.ui_0.7.26.jar Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.ui_0.7.26.jar Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.core_0.7.26.jar Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.omc_0.7.26.jar Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.omc_0.7.26.jar Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.omc_0.7.26.jar Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.omc_0.7.26.jar Sending content C:	Modified	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.ui \META-INF \MANIFEST.MF		
Sending content C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\features\org.modelica.mdt_0.7.26.jar Sending content C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.core\META-INF\MANIFEST.MF Sending content C: \bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.ui_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.ui_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.ui_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\site.xml Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.ui_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.ui_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.ui_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.ui_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.omc_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.site\plugins\org.modelica.mdt.site\plugins\org.modelica.mdt.site\plugins\org.modelica.mdt.site\plugins\org.modelica.mdt.site\plugins\org.modelica.mdt.site\plugins\org.modelica.mdt.site\plugins\org.modelica.mdt.site\plugins\org.modelica.mdt.site\plugins\org.modelica.mdt.site\plugins\org.modelica.mdt.site\plugins\org.modelica.mdt.site\plugins\org.modelica.mdt.site\plugins\org.modelica.mdt.site\plugins\org.modelica.mdt.site\plugins\org.modelica.mdt.site\plugins\org.modelica.mdt.site\plugins\org.modelica	Sending content	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.breakpoint_0.7.26.jar		
Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.core \META-INF \MANIFEST.MF Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.ui_0.7.26.jar Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.META-INF \MANIFEST.MF Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \site.xml Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.debug.ui \META-INF \MANIFEST.MF Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \site.xml Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.ui_0.7.26.jar Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.core_0.7.26.jar Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.core_0.7.26.jar Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.core_0.7.26.jar Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.core_0.7.26.jar Sending content C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \or	Sending content	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \features \org.modelica.mdt_0.7.26.jar		
Sending content C: \bin \crygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.ui_0.7.26.jar Sending content C: \bin \crygwin \home \adrpo \dev \java \org.modelica.mdt.breakpoint\META-INF\MANIFEST.MF Sending content C: \bin \crygwin \home \adrpo \dev \java \org.modelica.mdt.site \site.xml Sending content C: \bin \crygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.ui_0.7.26.jar Sending content C: \bin \crygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.ui_0.7.26.jar Sending content C: \bin \crygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.ui_0.7.26.jar Sending content C: \bin \crygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.core_0.7.26.jar Sending content C: \bin \crygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.core_0.7.26.jar Sending content C: \bin \crygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.core_0.7.26.jar Sending content C: \bin \crygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.omc_0.7.26.jar Sending content C: \bin \crygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.omc_0.7.26.jar Sending content C: \bin \crygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.omc_0.7.26.jar Sending content C: \bin \crygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.ml Sending content C: \bin \crygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt Sending content C: \bin \crygwin \home \adrpo \dev \java \org.modelica.mdt.site \PMANIFEST.MF Sending content C: \bin \crygwin \home \adrpo \dev \java \org.modelica.mdt.site \PMANIFEST.MF Sending content C: \bin \crygwin \home \adrpo \dev \java \org.modelica.mdt.site \PMANIFEST.MF Sending content C: \bin \crygwin \home \adrpo \dev \java \org.modelica.mdt.site \put \frac	Sending content	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.core \META-INF \MANIFEST.MF		
Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.breakpoint \META-INF \MANIFEST.MF         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \site.xml         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \site.xml         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.ui_0.7.26.jar         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.core_0.7.26.jar         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.core_0.7.26.jar         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.core_0.7.26.jar         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.core_0.7.26.jar         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.omc_0.7.26.jar         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \ortfitats.xml         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \ortfitats.xml         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.ui \META-INF \MANIFEST.MF         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.ui \META-IN	Sending content	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.ui_0.7.26.jar		
Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\site.xml Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.debug.ui\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.omc_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.omc_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\content.xml Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\content.xml Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.debug.core\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.debug.core\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.debug.core\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.ui\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.omc\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.omc\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.omc\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.feature\feature.xml Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.feature\feature.xml Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.core_0.7.26.jar	Sending content	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.breakpoint \META-INF \MANIFEST.MF		
Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.debug.ui\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.ui_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.omc_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.omc_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.omc_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\content.xml Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\content.xml Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.debug.core\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.omc\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.omc\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.omc\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.omc\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.omc\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.omc\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.feature\feature.xml Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.feature\feature.xml Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.core_0.7.26.jar	Sending content	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \site.xml		
Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.ui_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.omc_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.omc_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.omc_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\content.xml Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\artifacts.xml Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.debug.core\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.omc\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.omc\META-INF\MANIFEST.MF	Sending content	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.debug.ui \META-INF \MANIFEST.MF		
Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.debug.core_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.omc_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\content.xml Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\content.xml Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\artifacts.xml Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.debug.core\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.omc\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.feature\feature.xml Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.core_0.7.26.jar	Sending content	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.ui_0.7.26.jar		
Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.omc_0.7.26.jar Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\content.xml Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\artifacts.xml Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.debug.core\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.ui\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.omc\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.omc\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.omc\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.omc\META-INF\MANIFEST.MF Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.feature\feature.xml Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.feature\feature.xml Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.core_0.7.26.jar	Sending content	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.debug.core_0.7.26.jar		
Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \content.xml         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \artifacts.xml         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \artifacts.xml         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.debug.core \META-INF \MANIFEST.MF         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.ui \META-INF \MANIFEST.MF         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.onc \META-INF \MANIFEST.MF         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.onc \META-INF \MANIFEST.MF         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.onc \META-INF \MANIFEST.MF         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.feature \feature.xml         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.feature \feature.xml         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.core_0.7.26.jar	Sending content	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.omc_0.7.26.jar		
Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \artifacts.xml         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.debug.core \META-INF \MANIFEST.MF         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.ui \META-INF \MANIFEST.MF         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.ui \META-INF \MANIFEST.MF         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.omc \META-INF \MANIFEST.MF         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.omc \META-INF \MANIFEST.MF         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.feature \feature.xml         Sending content       C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.core_0.7.26.jar	Sending content	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \content.xml		
Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.debug.core\META-INF\MANIFEST.MF         Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.ui\META-INF\MANIFEST.MF         Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.orc\META-INF\MANIFEST.MF         Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.orc\META-INF\MANIFEST.MF         Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.orc\META-INF\MANIFEST.MF         Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.feature\feature.xml         Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.core_0.7.26.jar	Sending content	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \artifacts.xml		2
Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.ui\META-INF\MANIFEST.MF         Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.omc\META-INF\MANIFEST.MF         Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.feature\feature.xml         Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.core_0.7.26.jar	Sending content	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.debug.core \META-INF \MANIFEST.MF		17
Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.omc\META-INF\MANIFEST.MF         Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.feature\feature.xml         Sending content       C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.core_0.7.26.jar	Sending content	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.ui \META-INF \MANIFEST.MF		
Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.feature\feature.xml Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.core_0.7.26.jar	Sending content	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.omc \META-INF \MANIFEST.MF		
Sending content C:\bin\cygwin\home\adrpo\dev\java\org.modelica.mdt.site\plugins\org.modelica.mdt.core_0.7.26.jar	Sending content	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.feature \feature.xml		
	Sending content	C: \bin \cygwin \home \adrpo \dev \java \org.modelica.mdt.site \plugins \org.modelica.mdt.core_0.7.26.jar	h	
Completed At revision: 1514	Completed	At revision: 1514		5

# Copy the new files to the update site

MDT -	adrpo@remote.ida.liu.se - W	inSCP						- 🗆 ×		
Local Mark Files Commands Session Options Remote Help										
🔹 🔢 📦 - 🔐 🕸 🖉 📟 🧬 😤 🦌 া 🕂 - 🔯 🐼 🛛 Default - 🗸 🜠 -										
📗 📗 My da	cuments 🔹 🔄	← • ⇒ • 1 1 1 1	🗳 🙋 😫	MDT	• 🔄 🖕 • 🔿 • 🔁 🙆 🚮	2) fg				
🔐 C:\bin\plugins			_ 🗆 ×	/info/www/labs/pelab/modelic	a/OpenModelica/MDT					
Computer + Local Disk	(C:) • bin • plugins •	▼ 🐼 Search plu	igins 💽	Name Ext		Size	Changed 👻	Rights		
	()	, mail and a second sec	.g	🛔 🍨			2010-03-26 12:17:29	rwxrwsr-x		
File Edit View Tools Help				plugins			2012-05-17 23:21:25	rwxrwxr-x		
Organize 🔻 📜 Open New folder			= - 🔳 🕢	features			2012-05-17 23:21:09	rwxrwxr-x		
	1	1-					2012-02-23 13:53:53	rwxrwsr-x		
Name ^	Date modified	Туре	Size	save			2009-04-23 09:02:51	rwxrwsr-x		
📔 features	2012-05-17 23:56	File folder		snapshots			2009-04-23 09:02:47	rwxrwsr-x		
plugins	2012-05-17 23:56	File folder		🚺 temp			2009-04-23 09:02:29	rwxrwsr-x		
artifacta iar	2012 OF 17 22/56	Everytable Jar Ele	246	🔮 site.xml		5 6 5 3	2012-05-17 23:17:11	rw-rw-r		
a diacts.ja	2012-03-17 23,30	Executable Jai File	2 ND	📓 content.jar		17 827	2012-05-17 23:16:57	rw-rr		
artifacts.xml	2012-05-17 23:56	XML Document	38 KB	📓 artifacts.jar		1 798	2012-05-17 23:16:57	rw-rr		
📓 content.jar	2012-05-17 23:56	Executable Jar File	19 KB	🤨 index.html	Move Here	424	2011-04-12 09:12:53	rw-rr		
🔮 content.xml	2012-05-17 23:56	XML Document	538 KB	index-old.html	Copy Here	12 037	2009-11-01 04:07:14	rw-rwxr		
🔮 site.xml	2012-05-18 00:04	XML Document	6 KB	COPYING.html	Abort	2 195	2006-11-13 00:03:32	rw-rwxr		
-				remar ppg		1 231	2005-12-01 14:21:39	TW-TWXT		
				horis.nnn		1 247	2005-12-01 14:21:39	rw-rwxr		
				- Contraction of the second se			2000 12 01 1 12100			
5 items selected Date modi	fied: 2012-05-17 23:56 - 2012-05	5-18 00:04								
								▶		
0 B of 123	MiB in 0 of 131			0 B of 78 106 B in 0 of 16						
# F2 Re	ename 📝 F4 Edit 📑 F5 Copy	📑 F6 Move 💣 F7 Crea	te Directory 🔀 F8 De	elete 💣 F9 Properties 👖 F10	Quit					
						А	SETP.2	0.02.12		
							3616-3	0.02.15		

Select "New and updated files(s) only", then click "Copy".

Сору			? ×				
Copy 5 files to remote directory:							
/info/www/labs/pelab/modelica/OpenModelica/MDT	/*:*		•				
Transfer settings Transfer type: Automatic (*.*html; *.htm; *.txt; *.php; *.php3; *.cgi; *.c; *.cpp; *.h; *.pas; *.bas; *.tex; *.pl; .htaccess; *.xtml; *.css; *.cfg; *.ini; *.sh; *.xml)							
New and updated file(s) only		)o not show this d	ialog box again				
Transfer on background (add to transfer queue)		Transfer each file i	ndividually				
Transfer settings	Сору	Cancel	Help				

#### Copy is under way

21% Copying				<u>? ×</u>
				Cancel
				Minimize
File: C:\\org.n	nodelica.m	dt.debug.core_0.	7.26.jar	
Target: //labs/pe	elab/model	ica/OpenModelic	a/MDT/	Once <u>fi</u> nished:
				Stay idle 💌
Time left:	0:13:59	Time elapsed:	0:00:09	
Bytes transferred:	327 KiB	Speed:	37 416 B/s	<u>S</u> peed (KiB/s):
				Unlimited 💌

#### The end

Be proud, you've just made a new MDT version ©.